

In the Claims

Please cancel claims 2, 3, 5, 7, 13-47, and 52.

Please amend claims 1, 4, 6, 8, 10, 48, 50, 56, and 58 as follows:

WHAT IS CLAIMED IS:

4B1 C1 1. (Currently amended) A transparent window pane having first and second generally-opposed major surfaces, the transparent pane being sized and shaped to be mounted in a frame configured to receive at least one edge of the pane, the transparent pane having a removable protective covering disposed over [a major portion] all of said first surface except an unmasked peripheral apron, the protective covering having readily accessible means for removing the protective covering from the window pane, the protective covering comprising a plurality of strips of masking material, wherein the masking material is a masking film that is transparent or translucent, wherein the strips of transparent or translucent masking film are disposed in a sequentially overlapping fashion with each subsequent strip overlapping a portion of a preceding strip, such that the overlapped strips of transparent or translucent masking film define a plurality of exposed lateral edges that form said readily accessible means for removing the protective covering from the window pane, wherein the overlapped strips are affixed to one another, and wherein the overlapped strips are affixed to one another by being adhesively joined.

2. (Canceled) The transparent pane of claim 1 wherein the masking material is transparent.

3. (Canceled) The transparent pane of claim 1 wherein said strips of masking material are disposed in a sequentially overlapping fashion with each subsequent strip overlapping a portion of a preceding strip.

4. (Currently amended) The transparent pane of claim [3] 1 wherein said strips of masking material extend substantially in parallel across the first surface of the pane.

5. (Canceled)

6. (Currently amended) The transparent pane of claim [5] 1 wherein the [first surface of the pane has an] unmasked apron extends between an outer periphery of said protective covering and an outer periphery of the pane.

7. (Canceled) The transparent pane of claim 1 wherein said protective covering is disposed over substantially the entire first surface of the pane.

8. (Currently amended) The transparent pane of claim 1 wherein said protective covering is sized, shaped, and positioned such that at least one peripheral side portion of the protective covering ^{adapted to} extends [significantly] beneath a confronting surface of the frame when the pane is mounted.

9. (Original) The transparent pane of claim 8 wherein said peripheral side portion of the protective covering ^{adapted to} does not extend so far beneath said confronting surface of the frame as to engage glazing compound between the frame and the pane.

10. (Currently amended) The transparent pane of claim 1 wherein said protective covering is sized, shaped, and positioned such that all peripheral side portions of the protective covering extend [significantly] beneath confronting surfaces of the frame when the pane is mounted.

Cont
11. (Original) The transparent pane of claim 10 wherein said peripheral side portions of the protective covering do not extend so far beneath said confronting surfaces of the frame as to engage glazing compound between the frame and the pane.

12. (Original) The transparent pane of claim 1 wherein the pane is part of a multiple-pane insulating glass unit.

B1 Cont
13. (Canceled) A transparent pane having first and second generally-opposed major surfaces, the transparent pane being sized and shaped to be mounted in a frame configured to receive at least one edge of the pane, the transparent pane having a protective covering disposed over an oversized masked portion of said first surface, the protective covering comprising at least one piece of masking material, the oversized masked portion of the first surface having a lesser area than the first surface itself but having a greater area than an exposed central portion of the first surface that is left uncovered by the frame when the pane is mounted.

14. (Canceled) The transparent pane of claim 13 wherein the oversized masked portion of the first surface has a significantly greater area than said exposed central portion of the first surface.

15. (Canceled) The transparent pane of claim 13 wherein the protective covering consists of a single sheet of masking material.

16. (Canceled) The transparent pane of claim 13 wherein the protective covering comprises a plurality of strips of masking material.

17. (Canceled) The transparent pane of claim 13 wherein said protective covering is sized, shaped, and positioned such that at least one peripheral side portion of

the protective covering extends significantly beneath a confronting surface of the frame when the pane is mounted.

18. (Canceled) The transparent pane of claim 13 wherein said protective covering is sized, shaped, and positioned such that at least one peripheral side portion of the protective covering extends a predetermined distance beneath a confronting surface of the frame when the pane is mounted.

4B1
Amf
19. (Canceled) The transparent pane of claim 18 wherein said predetermined distance is at least about 1/16 inch.

20. (Canceled) The transparent pane of claim 19 wherein said predetermined distance is about 1/8 inch.

21. (Canceled) The transparent pane of claim 17 wherein said peripheral side portion of the protective covering does not extend so far beneath said confronting surface of the frame as to engage glazing compound between the frame and the pane.

22. (Canceled) The transparent pane of claim 13 wherein said protective covering is sized, shaped, and positioned such that all peripheral side portions of the protective covering extend significantly beneath confronting surfaces of the frame when the pane is mounted.

23. (Canceled) The transparent pane of claim 13 wherein said protective covering is sized, shaped, and positioned such that all peripheral side portions of the protective covering extend a predetermined distance beneath confronting surfaces of the frame when the pane is mounted.

24. (Canceled) The transparent pane of claim 23 wherein said predetermined distance is at least about 1/16 inch.

25. (Canceled) The transparent pane of claim 24 wherein said predetermined distance is about 1/8 inch.

26. (Canceled) The transparent pane of claim 22 wherein said peripheral side portions of the protective covering do not extend so far beneath said confronting surfaces of the frame as to engage glazing compound between the frame and the pane.

UBI
2004
27. (Canceled) The transparent pane of claim 13 wherein the first surface of the pane has an unmasked apron between an outer periphery of said protective covering and an outer periphery of the pane.

28. (Canceled) The transparent pane of claim 27 wherein the first surface of the pane is entirely masked other than its unmasked peripheral apron.

29. (Canceled) The transparent pane of claim 27 wherein the first surface of the pane has a polygonal shape with three or more sides and the unmasked apron extends along at least one side of said first surface.

30. (Canceled) The transparent pane of claim 29 wherein the unmasked apron extends along all sides of said first surface such that a complete periphery of said first surface is unmasked.

31. (Canceled) The transparent pane of claim 30 wherein the unmasked apron has a width along all sides of said first surface that is significantly less than an overlap distance by which confronting surfaces of the frame extend over said first surface when the pane is mounted, such that all peripheral edges of the protective covering are concealed beneath the frame.

32. (Canceled) The transparent pane of claim 31 wherein said peripheral edges of the protective covering are concealed beneath the frame but do not engage glazing compound between the frame and the pane.

33. (Canceled) The transparent pane of claim 13 wherein the pane is part of a multiple-pane insulating glass unit.

CB
Cont
34. (Canceled) A transparent pane having first and second generally-opposed major surfaces, the transparent pane being mounted to a frame in which at least one edge of the pane is received, the transparent pane having a protective covering disposed over a masked portion of said first surface, said first surface having an unmasked apron extending between an outer periphery of the protective covering and an outer periphery of the pane, the protective covering comprising at least one piece of masking material and being sized, shaped, and positioned such that at least one peripheral side portion of the protective covering extends significantly beneath a confronting surface of the frame.

35. (Canceled) The transparent pane of claim 34 wherein said peripheral side portion extends a predetermined distance beneath said confronting surface of the frame.

36. (Canceled) The transparent pane of claim 35 wherein said predetermined distance is at least about 1/16 inch.

37. (Canceled) The transparent pane of claim 36 wherein said predetermined distance is about 1/8 inch.

38. (Canceled) The transparent pane of claim 34 wherein said peripheral side portion does not extend so far beneath said confronting surface of the frame as to engage glazing compound between the frame and the pane.

39. (Canceled) The transparent pane of claim 34 wherein the pane is mounted such that all edges of the pane are received in the frame.

40. (Canceled) The transparent pane of claim 39 wherein said protective covering is sized, shaped, and positioned such that all peripheral side portions of the protective covering extend significantly beneath confronting surfaces of the frame.

41. (Canceled) The transparent pane of claim 40 wherein said peripheral side portions extend a predetermined distance beneath said confronting surfaces of the frame.

42. (Canceled) The transparent pane of claim 41 wherein said predetermined distance is at least about 1/16 inch.

43. (Canceled) The transparent pane of claim 42 wherein said predetermined distance is about 1/8 inch.

44. (Canceled) The transparent pane of claim 34 wherein said peripheral side portions do not extend so far beneath said confronting surfaces of the frame as to engage glazing compound between the frame and the pane.

45. (Canceled) The transparent pane of claim 34 wherein the protective covering consists of a single sheet of masking material.

46. (Canceled) The transparent pane of claim 34 wherein the protective covering comprises a plurality of strips of masking material.

47. (Canceled) The transparent pane of claim 34 wherein the pane is part of a multiple-pane insulating glass unit.

48. (Currently amended) A glazing assembly comprising a transparent pane and a frame to which the pane is mounted, wherein the frame receives an edge of the pane, and wherein the assembly includes glazing compound between the frame and the

cl. 48
YBI
con't
pane, the transparent pane having first and second generally-opposed major surfaces [and at least one edge received in the frame], the transparent pane having a protective covering disposed over a portion of said first surface, said first surface having an unmasked apron extending between an outer periphery of the protective covering and an outer periphery of the pane, the protective covering comprising at least one piece of masking material, wherein the masking material is a masking film and [being] is sized, shaped, and positioned such that at least one peripheral side portion of the protective covering extends [significantly] beneath a confronting surface of the frame but does not extend so far beneath the frame as to engage the glazing compound.

49. (Original) The glazing assembly of claim 48 wherein the pane is mounted such that all edges of the pane are received in the frame.

50. (Currently amended) The glazing assembly of claim 49 wherein said protective covering is sized, shaped, and positioned such that all peripheral side portions of the protective covering extend [significantly] beneath confronting surfaces of the frame.

51. (Original) The glazing assembly of claim 50 wherein said peripheral side portions extend a predetermined distance beneath said confronting surfaces of the frame.

52. (Canceled) The glazing assembly of claim 50 further comprising glazing compound between the frame and the pane, wherein said peripheral side portions of the protective covering do not extend so far beneath said confronting surfaces of the frame as to engage said glazing compound.

53. (Original) The glazing assembly of claim 48 wherein the protective covering consists of a single sheet of masking material.

54. (Original) The glazing assembly of claim 48 wherein the protective covering comprises a plurality of strips of masking material.

55. (Original) The glazing assembly of claim 48 wherein the pane is part of a multiple-pane insulating glass unit.

56. (Currently amended) A glazing assembly comprising an insulating glass unit and a frame to which the insulating glass unit is mounted, the insulating glass unit comprising first and second panes each having generally-opposed inner and outer surfaces, the first and second panes each having at least one edge received in the frame, wherein glazing compound is located between the frame and the outer surface of the first pane but not between the frame and outer surface of the second pane, and wherein a protective covering is disposed over a portion of the outer surface of the second pane, the outer surface of the second pane having an unmasked apron extending between an outer periphery of the protective covering and an outer periphery of the second pane, the protective covering comprising at least one piece of masking material, wherein the masking material is a masking film and [being] is sized, shaped, and positioned such that at least one peripheral side portion of the protective covering extends [significantly] beneath a confronting surface of the frame.

57. (Previously Added) The glazing assembly of claim 56 wherein the protective covering is provided with at least one tab or extension to facilitate removing the protective covering.

58. (Currently amended) The glazing assembly of claim 57 wherein said at least one peripheral side portion of the protective covering extends a predetermined distance beneath [a] said confronting surface of the frame.

CB
Cont

59. (Previously Added) The glazing assembly of claim 58 wherein said predetermined distance is at least about $1/16$ inch.

CB
Cont

60. (Previously Added) The transparent pane of claim 59 wherein said predetermined distance is about $1/8$ inch.
